

For 'live' Kingfisher updates of offshore activities, visit www.fishsafe.eu and follow [@KingfisherInfo](https://twitter.com/KingfisherInfo) on Twitter

The shaded blocks below indicate reports of fishing hazards and offshore activities.

What's
inside?

New Hazards (p.2)

Area 1 (p.3-5)

1. Notice to Fishermen
2. Seabed Activity

Area 2 (p.6-7)

1. Notice to Fishermen
2. Seabed Activity

Area 3 (p.8)

1. Seabed Activity

Area 4

1. N/A

Area 5 (p.9)


1. Seabed Activity

Area 6

1. N/A

Extra... (p.10-16)

1. Rig List
2. Anchor List
3. Survey List
4. Disclaimer









New Hazards


05 November 2015 | Issue 23

For 'live' Kingfisher updates of offshore activities, visit www.fishsafe.eu and follow [@KingfisherInfo](https://twitter.com/KingfisherInfo) on Twitter



Area 1 – Hazard List

Hazard Type	Position	Issue Date	Contact Details	Map
Partial Anchor Debris	61°04.920'N 002°09.130'W	16 July 2015	Luis.mcarthur@total.com	
New Suspended Wellhead - 15/21a-51	58°14.108'N 000°06.723'E	24 Sept 2015	brian.beattie@nexencnoocld.com	
Stainless Steel Grab 1m x 1m x1m 200kgs	60°35.160'N 03°01.390'W	02 July 2015	Richard.gordon@nexencnoocld.com	
New Suspended Wellhead - 214/30a-G1 New Suspended Wellhead - 214/30a-G2	61°04.650'N 002°05.250'W 61°04.620'N 002°05.290'W	16 July 2015	Luis.mcarthur@total.com	
Buoy and 750kgs Balast (Chain Block)	60°03.790'N 03°59.375'W	08 Oct 2015	George MacKenzie valiant_oim@dodi.com	
New Suspended Wellhead – 205/27-3Z	60°08.002'N 03°42.663'W	08 Oct 2015	Mark.aldrich@chrysaor.com	
New Suspended Wellhead – 9/19b-18X	59°26.887'N 01°37.155'E	08 Oct 2015	Marcelle.wynter@oga.gsi.gov.uk	

Area 2 – Hazard List

Hazard Type	Position	Issue Date	Contact Details	Map
Pigging equipment outside of 500m SZ (1m x 1.3m)	57°43.547'N 000°45.643'E 57°43.532'N 000°45.617'E	30 July 2015	nick.strachan@uk.bp.com	
Culzean Pin Piles covered by frames that measure 14m x 14m x 7.6 m high.	57°11.546'N 001°54.684'E	30 July 2015	sine.gabbot@maerskoil.com	

Area 3 – Hazard List

Hazard Type	Position	Issue Date	Contact Details	Map
Anchor & Chain 468m long, each link 40mm in diameter with a breadth of 144mm	52°32.600'N 01°53.600'E	02 July 2015	Louise.mann@hanson.biz	
Bethnic Grab large steel bucket held within a solid 1 m3 support frame & short cable	51°49.764'N 01°32.306'E	02 July 2015	phil.latto@marinespace.co.uk	

* **The Hazard List is a collection of potential fishing hazards supplied to Kingfisher from across all offshore industries. Potential hazards will be listed for 6 months.**

For 'live' Kingfisher updates of offshore activities, visit www.fishsafe.eu and follow [@KingfisherInfo](https://twitter.com/KingfisherInfo) on Twitter

Notice To Fishermen

First Published: 16 July 2015 | **Latest Update: 03 November 2015**

Hazard - Partial Anchor Debris (Update: Anchor believed to be buried)

 [Map Link](#)

Please note that part of an anchor has had to be laid down at Glenlivet field, in UKCS Block 214/30a, West of Shetland. The item has now been proven not to protrude proud of seabed, presumed buried in a water depth of 465.1m (LAT).

It was reported to be at the following approximate location: 61°04.920'N 002°09.130'W (UKCS 214/30a)



For further information: Luis McArthur, Total, Tel:01224 297903 email: Luis.mcarthur@total.com

Notice To Fishermen

First Published: 22 October 2015 | **Latest Update: 22 October 2015**

Hazard – Abandoned TA Cap

 [Map Link](#)

During Abandonment of Well Ptarmigan 15/29a-15. The TA cap has been pulled off the well by a trawler. The TA cap is 77kgs 25"OD 35"Height

Further investigation with the ROV has uncovered a crater where it is presumed wellhead has sank into the seabed

Positon: 58°08.186'N 00°46.240'E



For further information: Mike Swankie, Premier Oil, Tel: 01224 618965 email: mswankie@premier-oil.com

Notice To Fishermen

First Published: 08 October 2015 | **Latest Update: 08 October 2015**

Hazard – Solan - Sunk Buoy & 750kg Ballast (Chain Block)

 [Map Link](#)

A wave rider buoy has sunk and the associated 750kg ballast (chain block) are now creating a potential hazard 1km West of the Solan Platform

Positon: 60°03.790'N 03°59.375'W



For further information: George MacKenzie, Diamond Offshore, Tel: +44(0) 1224 501435 email: valiant_oim@dodi.com

Notice To Fishermen

First Published: 08 October 2015 | **Latest Update: 08 October 2015**

Suspended Wellhead – New Structure On Seabed

 [Map Link](#)

Please be advised that the suspended wellhead is a significant hazard please update your Yellow Card

Structure	Operator	Position
205/27-3Z	Chrysaor	60°08.002'N 03°42.663'W



For further information: Mark Aldrich, Chrysaor, email: mark.aldrich@chrysaor.com

Area 1

05 November 2015 | Issue 23

For 'live' Kingfisher updates of offshore activities, visit www.fishsafe.eu and follow [@KingfisherInfo](https://twitter.com/KingfisherInfo) on Twitter

Notice To Fishermen

First Published: 08 October 2015 | Latest Update: 08 October 2015

Suspended Wellhead – New Structure On Seabed



Please be advised that the suspended wellhead is a significant hazard please update your Yellow Card

Structure	Operator	Position
9/19b-18X	Apache	59°26.887'N 01°37.155'E



For further information: Marcelle Wynter, DECC, Tel: 0300 0686057 email: Marcelle.wynter@oga.gsi.gov.uk

Notice To Fishermen

First Published: 08 October 2015 | Latest Update: 08 October 2015

Suspended Wellhead – New Structure On Seabed



Please be advised that the suspended wellhead is a significant hazard with the dimensions of: 2mL x 2mW x 3mH

Structure	Operator	Position
15/21a-51	Nexen	58°14.108'N 000°06.723'E



For further information: Brian Beattie, Nexen Petroleum UK Ltd, Tel: 01124 371347 email: brian.beattie@nexencnoocld.com


Notice To Fishermen

First Published: 05 November 2015 | Latest Update: 05 November 2015

Abandoned Wellheads – Structures Removed From Seabed

Please be advised that the suspended wellheads below have been removed from the seabed.

Structure	Operator	Position
16/12a-5	Centrica	58°30.293'N 001°15.856'E
16/12a-9	Centrica	58°36.900'N 001°15.466'E
16/12a-13	Centrica	58°38.532'N 001°15.566'E
16/12a-20	Centrica	58°38.533'N 001°14.349'E



For further information: Marcelle Wynter, DECC, Tel: 0300 068 6057. Email: Marcelle.Wynter@decc.gsi.gov.uk

Seabed Activity

First Published: 13 August 2015 | Latest Update: 05 November 2015

Devenick Field – Drilling Operations

TAQA Bratani is planning to abandon the Devenick S2 (9/29a-2Z) well in the Devenick field. The operations consist of re-entering the well, de-completing it and fully abandoning it. Operations will be conducted from the Transocean John Shaw semi-submersible drilling rig.

Drilling Rig/Ship	Installation / Well No	Position	Start / Finish	Duration
Trans John Shaw	Devenick 9/29a-2Z	59°09.760'N 001°37.086'E	15/08/15 – 07/12/15	-



For further information: Derek Harrold, TAQA Bratani, Tel:+44 1224 275557, Email: derek.harrold@taqaglobal.com

For 'live' Kingfisher updates of offshore activities, visit www.fishsafe.eu and follow [@KingfisherInfo](https://twitter.com/KingfisherInfo) on Twitter

Seabed Activity

First Published: 21 May 2014 | **Latest Update: 20 October 2015**

Ellon & Grant Life Extension Project – New Umbilical

TEPUK have completed emplacement of a new umbilical between Dunbar Platform and Ellon / Grant subsea 500m zone in 2015. Currently awaiting results to prove everything installed correctly.

Please avoid the area during this time.

Block	Coordinates
3/14a to 3/15b	60°37.730'N 01°39.050'E to 60°35.840'N 01°48.330'E



For further information: Luis McArthur, Total, Tel:01224 297903 email: Luis.mcarthur@total.com

Seabed Activity

First Published: 08 October 2015 | **Latest Update: 08 October 2015**

Nevis Field – Diving Operations

Well Intervention diving from the Polaris mid – late October

Installation / Well No	Position
Nevis Subsea Well N7z	59°31.920'N 001°24.410'E
Nevis Subsea Well N8	59°31.940'N 001°24.440'E



For further information: Steve White, Apache North Sea Projects Group, Tel: 01224 505370 email: steve.white@apachecorp.com

Seabed Activity

First Published: 08 October 2015 | **Latest Update: 08 October 2015**

Ivanhoe/Rob Roy (IVRR) – Rock Dumping



Rock dumping operations are taking place at Ivanhoe/Rob Roy (IVRR) on pipeline spans within an existing 500m safety zone from 2nd October until mid-November 2015.

Location 1	58°11.677'N 000°06.150'E
Location 2	58°11.700'N 000°07.170'E
Location 3	58°11.162'N 000°07.214'E
Location 4	58°11.138'N 000°06.194'E



For further information: Graham Smith, Hess Services UK Limited, Tel: 01224 269 022 email: graham.smith@hess.com

Seabed Activity

First Published: 21 May 2014 | **Latest Update: 22 September 2015**

Edradour / Glenlivet Field Development – Construction Activities

TEPUK will have vessels in-field commencing construction activities on Edradour / Glenlivet project.

Please note that TEPUK have two new permanent subsea 500m safety zones which come into effect 14 July 2015

Area	Block	Coordinates
Glenlivet	UKCS 214/30a	61°04.600'N 02°05.010'W
Edradour	UKCS 206/4a	60°56.040'N 02°14.010'W



For further information: Luis McArthur, Total, Tel:01224 297903 email: Luis.mcarthur@total.com

For 'live' Kingfisher updates of offshore activities, visit www.fishsafe.eu and follow [@KingfisherInfo](https://twitter.com/KingfisherInfo) on Twitter


Notice To Fishermen

First Published: 22 October 2015 | Latest Update: 22 October 2015

Abandoned Wellheads – Structures Removed From Seabed

Please be advised that the suspended wellheads below have been removed from the seabed

Structure	Operator	Position
22/15-3	BG	57°34.627'N 001°54.988'E
21/28a-2	Antrim	57°09.097'N 000°33.062'E
21/29d-11z	Antrim	57°09.622'N 000°37.193'E
22/29c-8Y	Talisman	57°09.100'N 001°38.586'E
21/01a-20	Talisman	57°56.757'N 000°10.641'E
21/01a-21	Talisman	57°56.766'N 000°10.638'E



For further information: Marcelle Wynter, DECC, Tel: 0300 068 6057. Email: Marcelle.Wynter@decc.gsi.gov.uk

Notice To Fishermen

First Published: 10 September 2015 | Latest Update: 10 September 2015

Hazard – Bruce Field – Pigging Equipment

2 items of Bruce Main Oil Line Intelligent Pigging activation equipment were installed at the locations below. Each item has a height of 1.3m and over 1m wide with a weight of 60kg

Cradle A: 57°43.547'N 00°45.643'E
Cradle B: 57°43.532'N 00°45.617'E



These are outside the Forties Unity 500m exclusion zone.

For further information: Nick Strachan, BP Exploration, Tel: +44(0)1224 955089 email: nick.strachan@uk.bp.com

Seabed Activity

First Published: 19 February 2015 | Latest Update: 20 October 2015

Greater Stella – Development Operations



Ithaca Energy UK Limited is developing the Greater Stella Area in Block 30/6a of the Central North Sea. The development is centred on a floating production vessel, FPF1, which will be located in the Stella Field.



Subsea works:

Works completed with the exception of a rock dump at the SAL approx.. 15th November. Duration 1 day. Vessel TBA.

Primary locations are:

Location	Coordinates
FPF-1	56°46.846'N 002°06.542'E
Stella North Drill Centre (NDC)	56°49.150'N 002°04.228'E
Stella Mid Drill Centre (MDC)	56°47.431'N 002°05.398'E
SAL Base	56°48.428'N 002°06.317'E
Export Riser Base (ERB)	56°46.999'N 002°06.371'E

For further information: Colin Strachan, Tel: +44 (0)20 8998 8748, Email: cstrachan@costain.com

For 'live' Kingfisher updates of offshore activities, visit www.fishsafe.eu and follow [@KingfisherInfo](https://twitter.com/KingfisherInfo) on Twitter

Seabed Activity

First Published: 03 March 2014 | **Latest Update: 22 September 2015**

Montrose BLP Project – Development Operations

 [Map Link](#)

Offshore campaigns currently in progress or upcoming;

- Installation of new pipeline bundles along the 10km corridor between Montrose BLP and the Cayley Drill Centre (Now Complete see note below)
- Shaw pipeline installation (18km) between Montrose BLP and Shaw Drill Centres (Complete)
- Spool tie ins, testing and mechanical protection (Complete at Montrose BLP, Shaw Production and Shaw WI drill centres)
- Skandi Acergy in field (02/09/15) to undertake installation of trees at Shaw production drill centre



Please note: HSE recognised 500m Safety Zone are now in force at the following:

Cayley drill centre 57°25.167'N 001°13.804'E Cayley/Montrose intermediate towhead 57°26.160'N 001°18.420'E

Shaw Production drill centre 57°17.813'N 001°21.755'E Shaw WI drill centre 57°17.369'N 001°22.299'E

Key Coordinates	Coordinates	Key Coordinates	Coordinates
Montrose BLP	57°27.068'N 001°23.214'E	Shaw Prod DC	57°17.813'N 01°21.755'E
Cayley Drill Centre	57°25.167'N 001°13.804'E	Shaw Water Injection DC	57°17.369'N 01°22.299'E
44" Langed Crossing	57°25.924'N 001°17.332'E	24" GAEL crossings	57°25.757'N 01°22.760'E
24" GAEL Crossing	57°26.671'N 001°20.804'E	14" Forties Crossings-	57°27.054'N 01°22.987'E

For further information: Lilla Onodi, Talisman, Tel+44 (0)1224 358867 email: LOnodi@talisman-sinocpec.com

For 'live' Kingfisher updates of offshore activities, visit www.fishsafe.eu and follow [@KingfisherInfo](https://twitter.com/KingfisherInfo) on Twitter

Seabed Activity

First Published: 08 October 2015 | **Latest Update: 08 October 2015**

Perenco Wellhead – Seabed Decommissioning

From Friday 9th October for up to one week (approx.), Boskalis will be removing a subsea structure at the Welland field on behalf of Perenco UK Ltd.

	Coordinates
Well 4	53°00.54'N 002°39.96'E



For further information, Mark Lauder, Perenco Ltd, Tel: +44(0) 01603 771000 email: mLauder@uk.perenco.com

Seabed Activity

First Published: 24 April 2014 | **Latest Update: 31 August 2015**

Cygnus Field – Development Operations

The installation phase is segregated into two offshore campaigns 2014 and 2015. Infield activities:

Subsea Pipelines & Tie-ins


- 2 guard vessels Advance and Copious located at ETS Wye Manifold and Cygnus Bravo respectively.
- Dive Support Vessel- Bibby Polaris mobilising on 19th October for work at Cygnus Alpha, Bravo and ETS Wye Manifold for approx. 1 month.

Drilling

- Enco 80 interfaced with/cantilevered over Cygnus BWH Platform.
- Supply Vessel- Maersk Feeder.
- ERRV on Location Cygnus Sentinel.

Key Locations:

Structures	Coordinates	Structures	Coordinates
Cygnus AWH Platform	54°34.146'N 002°17.465'E	Cygnus BWH Platform	54°35.878'N 002°11.696'E
Cygnus APU Platform	54°34.118'N 002°17.385'E	Cygnus SSIV Manifold	54°34.159'N 002°17.320'E
Cygnus AUQ Platform	54°34.090'N 002°17.305'E	Cygnus WYE Manifold	54°18.030'N 001°40.578'E



For further information, Trevor Yip-Hoi, GDF Suez E&P UK Ltd, Tel: +44(0)203 122 1554 email: trevor.yip-hoi@gdfsuezep.co.uk

Deployment of Buoys

First Published: 08 October 2015 | **Latest Update: 08 October 2015**

Thames Field – Buoy Deployment

Buoy deployment, maintenance and subsequent recovery operations around the Thames Platform site by the buoy-laying vessel 'Galatea'. The Thames Gas Field is located approximately 1.9nm west of the Deep Water Route (DWR) via the DR1 lightbuoy within the UK Southern North Sea.

Name	Coordinates
North Cardinal Buoy	53°05.300'N 002°32.827'E
East Cardinal Buoy	53°05.032'N 002°33.276'E
South Cardinal Buoy	53°04.760'N 002°32.827'E
West Cardinal Buoy	53°05.030'N 002°32.378'E



For further information: Anatec Limited, Tel: +44 1224 253700 email: Aberdeen@anatec.com

For 'live' Kingfisher updates of offshore activities, visit www.fishsafe.eu and follow @KingfisherInfo on Twitter

Seabed Activity

First Published: 22 October 2015 | Latest Update: 05 November 2015

Hamilton Field – Drilling Operations

Please be informed that the Irish Sea Pioneer is currently scheduled to be in the Hamilton Field from 12th October, for approximately 23 days.



Drilling Rig/Ship	Installation / Well No	Position	Start / Finish	Duration
Irish Sea Pioneer	110/13HN	53°38.782'N 003°28.685'W	05/11/15	6 hours

For further information: David Smith, Petrofac, Tel: +44 (0)1224 247141 email: david.k.smith@petrofac.com

Seabed Activity

First Published: 02 July 2015 | Latest Update: 11 September 2015

North Morecambe – DPPA Educator Project

From 24th July 2015 the Seajacks Kraken jack up accommodation barge has been located alongside the North Morecambe DPPA Platform (linked via bridge access) for construction works on the platform which were due to be completed by 14th September, when the Kraken was due to depart the field. This has been extended until the end of October, and the vessel is due to depart the field around 31st October 2015.



The barge will be located on site via 4 legs on the sea bed

Kraken Footprint Coordinates	Coordinates
LEG 1	53°57.553'N 003°40.389'W
LEG 2	53°57.560'N 003°40.411'W
LEG 3	53°57.570'N 003°40.373'W
LEG 4	53°57.577'N 003°40.395'W
AFT CL	53°57.579'N 003°40.379'W

Project Description:

Field Name & Licence Block	North Morecambe 110/2b
Operator	Hydrocarbon Resources Limited (Centrica plc)
Installation Site & Type	DPPA Normally Unattended Installation (NUI)
Surface Location of Installation	53°57.581'N 003°40.344'W
Jack-UP Vessel Name and Type	Seajacks Kraken self-propelled, self-elevating, DP2, jack-up vessel, 4 legs (call sign 3ESD6)
Surface Location of Jack-UP Vessel	53°57.670'N 003°40.296'W
Proposed Commencement & Duration	24 th July 2015. Vessel to be sited until 31/10/15

For further information: Shona Jones, Centrica, Tel: 01524 864446 email: shona.jones@centrica.com

Deployment of Buoys

First Published: 22 October 2015 | Latest Update: 22 October 2015

Irish Sea – Buoy Deployments

From the 15th October 2015 onwards Fugro EMU Limited will deploy an Acoustic Doppler Current Profiler (ADCP) in a seabed frame at the following locations. The frames will be deployed for a minimum period of 30 days.



Location	Coordinates	Location	Coordinates
Barry & Chimney	51°21.435'N 003°22.836'W	Red Wharf Bay	53°20.619'N 004°08.837'W
Rhyl	53°21.435'N 003°22.836'W	Camaes	53°26.091'N 004°27.712'W
Conwy	53°21.435'N 003°22.836'W	Holyhead	53°21.989'N 004°36.967'W
Red Wharf Bay	53°21.435'N 003°22.836'W	Menai Strait	53°06.546'N 004°27.355'W
		North Llyn Peninsula	53°52.813'N 004°42.100'W

For further information: Hannah Griffen, Fugro EMU Ltd, Tel: +44(0)2392 205510 email: h.griffen@fugro.com

Oil and Gas Oil and Gas Oil and Gas

Extra...

05 November 2015 | Issue 23

For 'live' Kingfisher updates of offshore activities, visit www.fishsafe.eu and follow @KingfisherInfo on Twitter

Area 1 – Rig List

Latest Update: 02 November 2015

MOVEMENT	RIG	POSITION	MOVEMENT	RIG	POSITION
	COSL Rival	58°02.90'N 01°08.06'E		Deepsea Aberdeen	60°24.70'N 04°03.30'W
	Blackford Dolphin	58°06.10'N 00°41.70'E	New	Songa Delta	60°28.10'N 02°40.90'E
	Maerk Giant	58°07.50'N 01°55.40'E		Maersk Intrepid	60°30.30'N 02°00.80'E
New	Paragon MSS1	58°12.40'N 00°16.30'E		Borgsten Dolphin	60°37.66'N 01°39.29'E
	Sedco 704	58°22.30'N 00°52.90'E		COSL Promoter	60°45.30'N 03°38.20'E
	Maersk Integrator	58°34.30'N 01°41.80'E		Floatel Victory	60°47.10'N 02°28.50'W
	Bredford Dolphin	58°42.40'N 02°09.80'E		COSL Innovator	60°47.10'N 03°33.40'E
	Rowan Viking	58°50.60'N 02°14.90'E	New	Stena Don	60°53.70'N 03°39.30'E
	West Epsilon	58°50.70'N 01°44.50'E		West Elara	61°02.30'N 02°20.30'E
	Transocean John Shaw	59°09.70'N 01°37.10'E		Deepsea Atlantic	61°04.90'N 02°15.20'E
	West Alpha	59°10.70'N 02°22.70'E		Borgland Dolphin	61°09.40'N 03°20.50'E
	Wilphenix	59°25.50'N 01°34.40'E		Songa Trym	61°21.80'N 02°36.30'E
	Transocean Winner	59°34.60'N 01°55.40'E	New	Bideford Dolphin	61°23.60'N 02°07.50'E
	Transocean Leader	59°54.00'N 01°16.90'E		Transocean Arctic	64°03.70'N 06°50.60'E
	Ocean Valiant	60°03.80'N 03°58.50'W		Leiv Eiriksson	64°38.50'N 06°45.90'E

Area 2 – Rig List

Latest Update: 02 November 2015

MOVEMENT	RIG	POSITION	MOVEMENT	RIG	POSITION
	EnSCO 71	55°31.80'N 05°00.40'E	New	Ocean Patriot	56°50.20'N 01°50.90'E
	EnSCO 72	55°38.40'N 04°53.00'E		Rowan Gorilla 5	56°57.55'N 01°48.33'E
	Nobel Sam Turner	55°51.70'N 04°39.60'E		Prospector 1	56°57.96'N 01°52.10'E
	EnSCO 121	55°52.90'N 04°14.00'E		GSF Galaxy 1	57°00.79'N 01°50.37'E
	COSL Rigmar	56°05.70'N 04°13.20'E		Prospector 5	57°00.80'N 01°50.50'E
New	Mearsk Resilient	56°10.40'N 04°10.50'E		Noble Hans Deul	57°01.90'N 01°57.30'E
	Energy Enhancer	56°10.70'N 04°10.80'E		Byford Dolphin	57°04.90'N 02°05.00'E
	Maersk Resolve	56°14.80'N 03°57.60'E		Maersk Guardian	57°15.00'N 02°34.10'E
	Maersk Reacher	56°16.90'N 03°23.80'E		Safe Caledonia	57°17.59'N 01°39.58'E
	Maersk Innovator	56°22.60'N 03°15.50'E		EnSCO 101	57°22.50'N 01°59.80'E
	Maersk Gallant	56°22.60'N 03°15.90'E	New	West Phoenix	57°41.23'N 04°02.97'W
	Rowan Gorilla 6	56°31.20'N 03°13.30'E		Rowan Gorilla 7	57°43.90'N 00°58.40'W
	Rowan Norway	56°32.80'N 03°13.20'E		EnSCO 120	57°57.70'N 00°55.00'W
	EnSCO 100	56°46.30'N 00°46.40'E			

Area 3 – Rig List

Latest Update: 02 November 2015

MOVEMENT	RIG	POSITION	MOVEMENT	RIG	POSITION
New	Seafox 4	53°04.90'N 02°10.90'E		Paragon C461	53°39.70'N 05°02.70'E
New	GMS Endurance	53°15.50'N 01°58.30'E		GMS Endeavour 6102	53°41.90'N 03°52.00'E
	EnSCO 122	53°16.20'N 03°52.40'E		Paragon B391	53°53.10'N 00°26.00'E
	Seafox 1	53°19.40'N 02°34.50'E		Paragon C463	53°56.90'N 03°39.80'E
	EnSCO 92	53°31.70'N 02°13.40'E		Paragon HZ1	54°19.00'N 02°37.20'E
	Noble Regina Allen	53°33.10'N 03°21.70'E		Seafox 2	54°34.10'N 02°18.10'E
	Paragon C20051	53°36.50'N 04°12.40'E		Seafox 7	54°34.20'N 02°17.50'E
	Swift 10	53°37.30'N 03°00.30'E		EnSCO 80	54°36.00'N 02°11.80'E

Area 5 – Rig List

Latest Update: 02 November 2015

MOVEMENT	RIG	POSITION	MOVEMENT	RIG	POSITION
New	Irish Sea Pioneer	53°34.00'N 03°27.30'W	New	Seajacks Kraken	53°57.60'N 3°40.40'W

Extra...

05 November 2015 | Issue 23

For 'live' Kingfisher updates of offshore activities, visit www.fishsafe.eu and follow @KingfisherInfo on Twitter

"Rig anchors may extend up to one mile from the rig position. Anchor buoys not always deployed. Fishing within the anchor pattern should be avoided. Fishermen may contact the installation or the ERRV (standby vessel) for positions of the anchors."

Area 1 – Anchor List

| Latest Update: 22 October 2015

Paragon MSS1 – Telford H2 Well

Anchor No.	Anchor Position	Laydown Pennant s		Anchor Position	
Well	58°12.320'N 00°16.720'E		7	58°11.760'N 00°17.300'E	58°11.700'N 00°17.380'E
1	58°12.850'N 00°16.160'E	58°12.930'N 00°16.050'E	8	58°11.690'N 00°16.720'E	58°11.610'N 00°16.720'E
2	58°12.940'N 00°16.720'E	58°12.950'N 00°16.580'E	9	58°11.770'N 00°16.150'E	58°11.700'N 00°16.090'E
3	58°12.840'N 00°17.270'E	58°12.900'N 00°17.130'E	10	58°12.020'N 00°15.690'E	58°11.980'N 00°15.570'E
4	58°12.610'N 00°17.720'E	58°12.680'N 00°17.660'E	11	58°12.320'N 00°15.500'E	58°12.320'N 00°15.370'E
5	58°12.320'N 00°17.860'E	58°12.320'N 00°18.000'E	12	58°12.620'N 00°15.670'E	58°12.660'N 00°15.550'E
6	58°12.020'N 00°17.760'E	58°11.990'N 00°17.880'E			

Transocean Leader – At Kraken DC2

Anchor No.	Anchor Position	Laydown Pennant s		Anchor Position	
Cap Well	59°53.920'N 01°16.760'E				
1	59°54.610'N 01°16.150'E	59°54.690'N 01°16.180'E	5	59°53.260'N 01°17.330'E	59°53.170'N 01°17.410'E
2	59°54.610'N 01°17.340'E	59°54.700'N 01°17.410'E	6	59°53.260'N 01°16.260'E	59°53.160'N 01°16.180'E
3	59°54.200'N 01°18.130'E	59°54.240'N 01°18.310'E	7	59°53.670'N 01°15.450'E	59°53.630'N 01°15.270'E
4	59°53.660'N 01°18.140'E	59°53.620'N 01°18.310'E	8	59°54.200'N 01°15.450'E	59°54.240'N 01°15.280'E

Blackford Dolphin – Proposed Anchor Pattern Alder

Anchor No.	Position	Anchor No.	Position	Anchor No.	Position
Rig	58°06.121'N 00°41.692'E	3	58°06.504'N 00°42.665'E	6	58°05.483'N 00°41.550'E
1	58°06.640'N 00°40.956'E	4	58°06.043'N 00°42.909'E	7	58°05.370'N 00°40.718'E
2	58°06.759'N 00°41.833'E	5	58°05.601'N 00°42.426'E	8	58°06.198'N 00°40.474'E

Schiehallion – At Loyal Drill Centre

Anchor No.	Position	Anchor No.	Position	Anchor No.	Position
Rig		3	60°26.113'N 04°04.521'W	6	60°24.113'N 04°00.377'W
1	60°24.059'N 04°06.246'W	4	60°26.130'N 04°02.145'W	7	60°23.251'N 04°01.900'W
2	60°25.259'N 04°06.271'W	5	60°25.289'N 04°00.377'W	8	60°23.195'N 04°04.443'W

Borgsten Dolphin – Dunbar Platform 3/14a

Anchor No.	Position	Anchor No.	Position	Anchor No.	Position
Rig	60°37.660'N 01°39.290'E	5	60°37.820'N 01°37.750'E	10	60°37.390'N 01°40.390'E
1	60°36.930'N 01°38.730'E	6	60°37.930'N 01°37.820'E	11	60°37.290'N 01°40.320'E
2	60°37.000'N 01°38.510'E	7	60°38.350'N 01°39.510'E	12	60°37.190'N 01°40.180'E
3	60°37.060'N 01°38.300'E	8	60°38.300'N 01°39.750'E		
4	60°37.700'N 01°37.700'E	9	60°38.250'N 01°39.980'E		

Sedco 704 – At Fairleads Well G2G

Anchor No.	Position	Anchor No.	Position	Anchor No.	Position
Rig	59°21.080'N 01°32.980'E	3	59°21.760'N 01°32.610'E	6	59°20.880'N 01°34.170'E
1	59°20.770'N 01°31.760'E	4	59°21.790'N 01°32.880'E	7	59°20.380'N 01°34.130'E
2	59°21.410'N 01°31.680'E	5	59°20.990'N 01°34.140'E	8	59°20.370'N 01°32.800'E

Area 2 – Anchor List

First Published: 16 July 2015 | Latest Update: 27 August 2015

Stena Spey – At Alma

Anchor No.	Position	Anchor No.	Position	Anchor No.	Position
Rig	56°11.090'N 002°45.750'E	3	57°12.270'N 002°46.960'E	6	57°11.060'N 002°44.930'E
1	56°12.640'N 002°45.290'E	4	57°11.680'N 002°47.000'E	7	57°11.640'N 002°43.830'E
2	56°12.670'N 002°46.260'E	5	57°11.150'N 002°46.300'E	8	57°12.260'N 002°43.160'E

For 'live' Kingfisher updates of offshore activities, visit www.fishsafe.eu and follow @KingfisherInfo on Twitter

Sedco 714 – At Cromarty Firth – Anchorage No.12

Please note that the Sedco 714 is in Cromarty Firth

Anchor No.	Position	Anchor No.	Position	Anchor No.	Position
Rig	57°41.180'N 04°00.790'W	3	57°41.300'N 04°00.690'W	6	57°40.860'N 04°00.420'W
1	57°41.170'N 04°01.350'W	4	57°41.170'N 04°00.430'W	7	57°40.860'N 04°00.720'W
2	57°41.300'N 04°01.090'W	5	57°40.950'N 04°00.420'W	8	57°40.950'N 04°00.350'W

Byford Dolphin – Pre-Laid at the Machar Field

Anchor No.	Position	Anchor No.	Position	Anchor No.	Position
Rig	57°04.742'N 02°04.910'E	5	57°04.996'N 02°06.367'E	10	57°04.117'N 02°03.792'E
1	57°05.540'N 02°03.664'E	6	57°04.842'N 02°06.447'E	11	57°04.490'N 02°03.454'E
2	57°05.531'N 02°04.499'E	7	57°04.364'N 02°05.749'E	12	57°04.861'N 02°03.537'E
3	57°05.558'N 02°05.098'E	8	57°04.085'N 02°05.290'E		
4	57°05.231'N 02°06.141'E	9	57°03.922'N 02°04.635'E		

Safe Caledonia Flotel – At ETAP

Anchor No.	Position	Anchor No.	Position	Anchor No.	Position
Rig	57°17.576'N 001°39.588'E	4	57°17.170'N 001°37.220'E	8	57°17.884'N 001°41.775'E
1	57°16.250'N 001°39.942'E	5	57°18.740'N 001°38.764'E	9	57°16.292'N 001°40.303'E
2	57°16.236'N 001°39.646'E	6	57°18.806'N 001°39.416'E	10	57°17.412'N 001°37.130'E
3	57°17.012'N 001°37.388'E	7	57°18.179'N 001°41.507'E		

Area 1 – Survey List

Company & Vessels	Towed Cable Length/Depth	Area Covered & Quad Blocks		Duration
Gardline Ocean Reliance J8B2707		56°50.082'N 000°39.930'E 56°49.846'N 000°39.670'E		16/11/2015 - 29/02/2016 For 21 Days
Tideway bv Flintstone PBZD		57°35.899'N 001°38.466'E 57°36.973'N 001°38.377'E		01/11/2015 - 31/12/2015 For 1 Day
Fugro Geo Consulting Bucentaur - C6SU4		60°03.490'N 001°56.400'E	Quad Block: 3	08/11/2015 - 31/01/2016 For 5 Days
Gardline Geosurvey Ltd Ocean Observer GHXX		59°28.345'N 001°36.286'E 59°26.350'N 001°43.610'E 59°24.451'N 001°41.612'E 59°26.443'N 001°34.294'E	9	28/09/2015 - 31/07/2016 For 45 Days
Gardline Geosurvey Ltd Ocean Observer - GHXX		59°33.604'N 01°30.673'E 59°33.615'N 01°32.788'E 59°27.027'N 01°41.191'E 59°26.435'N 01°43.734'E 59°24.490'N 01°41.676'E 59°26.803'N 01°32.790'E	9	28/09/2015 - 31/10/2015 For 8 Days
Gardline Ocean Reliance - J8B2707		58°11.018'N 001°11.638'W 58°12.366'N 001°13.327'W 58°13.852'N 001°09.067'W 58°12.503'N 001°07.379'W	13	27/09/2015 - 30/11/2015 For 2 Days
TBA	8000m / 6m	60°31.326'N 003°23.951'W 60°13.168'N 002°37.982'W 59°55.123'N 003°06.586'W 60°12.647'N 003°52.360'W	203; 204; 206	05/09/2015 - 31/12/2015 For 2 Days
Baker Hughes Wireline	2m x 4m	58°29.334'N 001°02.188'E	Quad Block: 16	01/08/2015 - 31/01/2016 For 1 Day

Oil and Gas

Oil and Gas

Oil and Gas

Extra...

05 November 2015 | Issue 23

For 'live' Kingfisher updates of offshore activities, visit www.fishsafe.eu and follow @KingfisherInfo on Twitter

Western Geco Ltd MV WG Vespucci - 5BXF2 MV Western Regent - 3ELY9 MV WG Tasman - 5BPB2	10500m / 35m	60°06.793'N 013°11.935'W 60°05.620'N 012°41.987'W 59°52.137'N 011°50.218'W 59°23.804'N 011°47.436'W 59°57.072'N 009°38.018'W 59°53.643'N 008°09.884'W 60°03.490'N 007°38.653'W 60°18.384'N 005°09.768'W 60°17.007'N 003°24.093'W 59°06.860'N 005°15.540'W 59°07.299'N 005°25.380'W 59°17.465'N 005°35.613'W 59°17.374'N 006°02.816'W 59°11.338'N 006°30.946'W 58°56.180'N 006°23.351'W 58°30.301'N 006°55.437'W 58°24.145'N 007°15.759'W 58°25.377'N 007°54.692'W	58°05.344'N 007°45.064'W 57°57.414'N 008°17.793'W 57°56.732'N 008°54.587'W 57°36.888'N 008°43.248'W 57°22.749'N 008°42.392'W 56°57.700'N 008°14.154'W 56°26.934'N 008°53.299'W 57°20.093'N 011°21.759'W 57°30.574'N 012°11.602'W 57°29.079'N 013°24.120'W 57°42.948'N 013°25.832'W 57°47.285'N 013°47.224'W 58°09.631'N 014°16.317'W 59°48.373'N 013°55.787'W 59°48.374'N 013°11.292'W	15/07/2015 - 30/11/2015 For 100 Days
EMGS ASA Em Leader - C6XD3		59°49.931'N 000°02.803'E 59°49.932'N 000°29.616'E 59°59.933'N 000°29.710'E 59°59.933'N 000°53.870'E 60°09.934'N 000°53.964'E 60°09.935'N 001°19.261'E 59°19.931'N 001°19.358'E 59°19.622'N 001°04.801'E 59°10.053'N 001°04.802'E 59°09.928'N 000°02.710'E	Quad Block: 3, 8, 9	25/05/2015 - 30/11/2015 For 105 Days
PGS Geophysical ASA Ramform Vanguard C6TU8	6500m / 25	60°30.291'N 000°36.326'E 60°32.893'N 000°38.868'E 60°35.260'N 000°44.452'E 60°35.812'N 001°26.483'E 60°34.213'N 001°31.673'E 60°32.585'N 001°34.472'E 60°04.348'N 001°45.759'E 60°01.880'N 001°43.516'E	59°59.433'N 001°38.836'E 59°59.020'N 000°55.742'E 60°00.329'N 000°51.109'E 60°01.680'N 000°48.344'E 60°01.680'N 000°48.344'E Quad Block: 2; 3; 8; 9	02/04/2015 - 30/11/2015 For 45 Days
PGS Geophysical ASA Ramform Atlas C6AX2	6500m / 25m	59°51.552'N 000°28.404'E 59°52.428'N 001°25.077'E 59°48.519'N 001°32.819'E 59°40.608'N 001°33.105'E 59°36.801'N 001°24.992'E 59°36.741'N 001°19.317'E 59°24.004'N 001°19.948'E 59°24.303'N 001°46.775'E 59°17.303'N 001°42.585'E 59°06.426'N 001°39.698'E 59°06.182'N 001°19.120'E 58°58.266'N 001°16.797'E 58°46.069'N 001°03.787'E 58°44.735'N 000°59.280'E	58°41.062'N 000°59.309'E 58°38.821'N 000°56.281'E 58°37.170'N 000°51.746'E 58°36.159'N 001°57.058'W 58°40.107'N 001°44.840'W 58°42.258'N 001°42.084'W 58°56.257'N 001°37.731'W 59°02.221'N 001°37.184'W 59°05.444'N 001°43.694'W 59°06.382'N 000°25.580'E 59°48.348'N 000°22.371'E 59°48.348'N 000°22.371'E Quad Block: 8; 9; 14; 15	01/03/2015 - 30/11/2015 For 150 Days
PGS Geophysical ASA Ramform Vanguard C6TU8	8000m / 20m	58°13.774'N 001°39.906'E 58°09.608'N 001°43.728'E 58°08.561'N 001°40.297'E 58°05.925'N 001°40.385'E 58°00.688'N 001°31.158'E 58°00.229'N 000°58.830'E 58°05.111'N 000°48.396'E 58°17.933'N 000°47.663'E	58°22.803'N 000°57.084'E 58°23.096'N 001°16.664'E 58°31.954'N 001°16.541'E 58°32.002'N 001°16.550'E 58°36.771'N 001°25.450'E 58°36.848'N 001°31.786'E 58°25.763'N 001°28.903'E Quad Block: 15; 16	01/03/2015 - 30/11/2015 For 102 Days
CGG Services S A Oceanic Champion - LAJQ6 Bourbon Fulmar - 5BXP3 Geo Coral - FIPH Guard Merlin - V7OY8	7950m / 1000m	61°58.144'N 001°23.433'E 61°42.008'N 001°34.804'E 61°21.370'N 001°47.295'E 60°32.969'N 001°56.801'E 59°59.429'N 002°03.389'E 59°54.039'N 002°04.447'E 59°52.962'N 002°04.016'E	59°52.975'N 001°47.691'E 59°32.929'N 001°47.901'E 59°32.978'N 001°15.450'E 60°42.929'N 001°14.902'E 58°42.932'N 000°21.382'E 60°28.400'N 000°20.611'E 60°28.400'N 000°20.611'E	01/03/2015 - 30/11/2015 For 45 Days

Extra...

05 November 2015 | Issue 23

For 'live' Kingfisher updates of offshore activities, visit www.fishsafe.eu and follow @KingfisherInfo on Twitter

Area 2 – Survey List

Company & Vessels	Towed Cable Length / Depth	Area Covered & Quad Blocks	Duration
Gardline Geosurvey Ltd Ocean Reliance - J8B2707		57°57.800'N 001°06.823'E 57°59.134'N 001°15.282'E 57°56.034'N 001°17.006'E 57°54.701'N 001°08.559'E	20/10/2015 - 20/11/2015 For 7 Days
Fugro Survey		57°14.706'N 001°04.998'E 57°07.903'N 001°18.440'E 57°02.131'N 001°08.377'E 57°09.180'N 000°55.262'E	21; 22 09/09/2015 - 29/02/2016 For 25 Days
Fugro Fugro Galaxy C6YY4		56°57.427'N 001°26.399'W 56°50.659'N 001°36.875'W	29 15/08/2015 - 30/11/2015 For 4 Days
Fugro Fugro Searcher 3EUY6		58°03.864'N 001°06.101'W 58°03.857'N 001°03.219'W 58°02.555'N 001°03.205'W 58°02.582'N 001°06.186'W 58°01.466'N 000°54.901'W 58°00.126'N 000°52.562'W 58°00.124'N 000°52.494'W 58°00.175'N 000°55.010'W	Quad Block: 13,14 15/08/2015 - 30/11/2015 For 4 Days
Gardline Geosurvey Ltd Ocean Observer - GHXX		57°26.410'N 001°59.454'E 57°27.168'N 001°55.541'E 57°32.560'N 001°58.803'E 57°31.706'N 002°03.952'E 57°30.205'N 002°09.618'E 57°27.610'N 002°11.058'E 57°26.212'N 002°08.724'E 57°19.995'N 002°08.869'E 57°20.025'N 002°05.624'E 57°08.341'N 001°59.947'E 57°02.002'N 001°58.167'E 57°01.935'N 001°56.512'E 57°08.278'N 001°58.677'E 57°19.926'N 001°59.632'E	22,23
Western Geco Ltd MV WG Vespucci - 5BXF2 MV Western Regent - 3ELY9 MV WG Tasman - 5BPB2	8500m / 35m	55°59.956'N 002°12.096'W 54°39.954'N 001°00.091'W 54°09.953'N 000°00.089'W 56°39.759'N 001°57.024'W 57°39.960'N 001°36.099'W 57°29.959'N 001°36.099'W 57°19.959'N 001°36.098'W 57°09.958'N 001°48.098'W 57°09.960'N 001°52.265'W 56°59.958'N 002°00.098'W 56°32.952'N 002°27.396'W	21, 22 15/07/2015 - 18/12/2015 For 130 Days
Baker Hughes Wireline Prospector 5		56°59.133'N 001°27.247'E 56°59.155'N 001°29.220'E 56°58.077'N 001°29.264'E 56°56.054'N 001°27.292'E	29 01/06/2015 - 31/12/2015 For 1 Day
CGG Services S A TBA	7950m / 1000m	56°49.570'N,002°29.826'E 56°35.660'N,002°36.710'E 56°26.533'N,002°48.141'E 56°27.122'N,000°48.228'E 56°43.794'N,000°48.144'E	56°43.830'N,001°18.159'E 56°47.132'N,001°18.168'E 56°47.061'N,001°44.411'E 56°49.903'N,001°44.452'E 56°49.570'N,002°29.826'E
CGG Services S A TBA	7950m / 900m	55°57.587'N,001°08.534'E 55°57.444'N,001°57.278'E 55°54.010'N,001°57.260'E 55°53.761'N,002°27.261'E	55°21.999'N,002°27.057'E 55°22.401'N,001°08.764'E 55°57.587'N,001°08.534'E

Extra...

05 November 2015 | Issue 23

For 'live' Kingfisher updates of offshore activities, visit www.fishsafe.eu and follow @KingfisherInfo on Twitter

Area 3 – Survey List

Company & Vessels	Towed Cable Length / Depth	Area Covered & Quad Blocks		Duration
Helix Canyon Offshore Grand Canyon II APKI		52°59.350'N 002°18.483'E 52°59.031'N 002°18.115'E		31/10/2015 - 30/11/2015 For 20 Days
ENI TBA		52°38.713'N 003°05.784'E 52°34.397'N 003°05.774'E 52°34.400'N 002°58.691'E 52°38.715'N 002°58.689'E	54, 53	31/08/2015 - 31/12/2015 For 21 Days
ENI TBA		53°04.936'N 001°46.986'E 53°05.005'N 001°54.150'E 53°04.276'N 001°54.169'E 53°04.293'N 001°55.991'E 52°59.978'N 001°56.098'E 52°59.911'N 001°48.947'E 53°00.640'N 001°48.927'E 53°00.622'N 001°47.107'E	48	27/08/2015 - 31/12/2015 For 14 Days
Gardline Geosurvey Ltd MV Kommandor - PBQW		53°07.942'N 001°42.212'E 53°08.016'N 001°49.385'E 53°03.702'N 001°49.503'E 53°03.628'N 001°42.342'E	48	07/08/2015 - 31/12/2015 For 7 Days
Gardline Geosurvey Ltd MV Kommandor - PBQW		53°02.044'N 001°47.144'E 53°02.114'N 001°54.300'E 52°57.800'N 001°54.409'E 52°57.730'N 001°47.264'E	48; 52	07/08/2015 - 31/12/2015 For 7 Days
ENI TBA		53°09.874'N 001°37.902'E 53°09.953'N 001°45.080'E 53°05.640'N 001°45.205'E 53°05.561'N 001°38.039'E	48	01/08/2015 - 31/12/2015 For 21 Days
Western Geco Ltd MV WG Vespucci - 5BXF2 MV Western Regent - 3ELY9 MV WG Tasman - 5BPP2	8500m / 35m	56°16.451'N 002°10.016'W 56°05.776'N 001°58.977'W 55°52.656'N 001°41.264'W 55°44.777'N 001°18.226'W 55°34.276'N 001°16.530'W 55°17.291'N 001°11.970'W 55°10.874'N 001°09.469'W 54°51.793'N 000°59.367'W 54°46.919'N 000°51.989'W 54°42.406'N 000°33.571'W 54°35.136'N 000°17.503'W 54°23.008'N 000°04.991'W 54°18.786'N 000°01.740'E 54°16.113'N 000°14.950'E 54°14.610'N 000°40.745'E 54°35.938'N 000°51.566'E	54°24.116'N 002°06.166'E 54°29.984'N 002°38.217'E 54°34.527'N 002°43.000'E 54°43.009'N 002°37.163'E 54°51.719'N 002°46.962'E 54°54.931'N 003°00.955'E 55°50.059'N 003°23.913'E 56°05.205'N 003°14.926'E 56°42.420'N 001°27.398'E 57°45.614'N 000°36.215'W 57°50.493'N 000°51.958'W 57°49.099'N 001°01.141'W 57°40.166'N 001°28.269'W 57°27.440'N 001°24.543'W 57°10.755'N 001°41.920'W 56°55.208'N 001°50.191'W 56°38.616'N 002°05.243'W 56°35.517'N 002°07.373'W	15/07/2015 - 18/12/2015 For 130 Days

Area 5 – Survey List

Company & Vessels	Towed Cable Length / Depth	Area Covered & Quad Blocks		Duration
TBA		53°08.414'N 003°02.666'W		20/08/2015 - 30/11/2015 For 10 Days

For 'live' Kingfisher updates of offshore activities, visit www.fishsafe.eu and follow [@KingfisherInfo](https://twitter.com/KingfisherInfo) on Twitter

Disclaimer and Limitation of Liability

Whilst reasonable steps have been taken to ensure its accuracy, the data contained in this Bulletin ("Bulletin Data") is not verified. Except to the extent required by law, the Seafish Industry Authority and FLTC Services Limited shall have no liability to You, meaning any person, firm, partnership, corporate body or any other legal person receiving or otherwise using, or benefitting from the use of, Bulletin Data for any damage or losses (including consequential losses) caused by any error or omission in the Bulletin Data. Notwithstanding the foregoing exclusion of liability, in the event that we are found liable to You, then our entire liability in such event, whether in contract, delict (including negligence) or otherwise, shall not exceed £10,000. The Admiralty Notices to Mariners should also be consulted.